

# What brings you to open source?

How can projects encourage sustainable open source participation?

Author: Sophia Vargas, Researcher, Open Source Programs Office


#### Forward:


In 2022, the research team within Google's Open Source Programs Office launched a study to better understand open source developers, contributors, and maintainers. Since Alphabet is a large consumer of and contributor to open source, our primary goals were to investigate the evolving needs and motivations of open source contributors, and to learn how we can best support the communities we depend on. We also wanted to share our findings with the community in order to further research efforts and our collective understanding of open source work.

In Q2 2022, we partnered with ClearPath Strategies¹ to develop and field our questionnaire to a panel of developers. Our sample of 1,108 respondents was spread across seven countries and four continents, with quotas set for open source contributors, maintainers, and students, including a small sample of open source users for a baseline comparison. We also reviewed third party publications and research articles conducted by other institutions, researchers and organizations to compare, validate and provide additional context to our findings.


#### **Overview of Sample Demographics**

The following charts describe subdivisions and demographics of our sample of 1,108 international developers:





Alt text: This chart shows the regional breakdown of respondents: 18% US, 19% India, 18% Brazil, 16% Japan, 11% Germany, 9% UK and 11% France





Roles - respondents were screened for technical backgrounds

Alt text: This chart shows the role and title breakdown of respondents: 47% identified as developers or software engineers, 38% as managers of technical teams, 6% data scientists or data analysts, 4% data engineers, 4% DevOps or SREs, and 2% architects

<sup>&</sup>lt;sup>1</sup>Clearpath-strategies.com

## **Google** Open Source






Contribution status - quotas set for contributors and maintainers: We asked respondents to self-identify as one of the following: open source users (including donors), contributors, or maintainers.

Alt text: We asked respondents to describe their current and highest level of involvement and/or contribution to open source projects: 22% identified as maintainers of open source projects, 45% as contributors to open source projects, 29% as users of open source, and 5% had donated to open source projects.

Employment status - quota set for Students: Respondents were identified by employment status

Alt text: We asked respondents to share their employment status: 76% were employed full time, 16% were students, 4% employed part time, 3% identified as independent contractors, and 1% were not employed but looking for work.



Open source contribution tenure: Screened out individuals with less than a year of development and coding experience.

Alt text: For the 739 respondents that contributed to open source, we asked how long they have been contributing: 3% contributed less than 3 months, 17% 3-12 months, 39% 1-3 years, 26% 4-6 years, 10% 7-9 years, and 5% 9 or more years.

### What is included in open source "work"?

In our study, we did not attempt to define 'open source work' but instead asked respondents to share details on contribution tasks they took on in the community and whether or not they were completed in personal or professional time. Within the total sample, 18% contributed to open source in their personal time only, 30% in their professional time only, and 52% contributed in both personal and professional time. Noting that our sample screened for developers (self-identified here as people who write code), within this study:



Writing code, reviewing code, Q/A and testing were top contribution activities.

However, many respondents also performed non-code related tasks in support of the community (see figure 1). Recognizing that not all contributors have a background in coding, we also asked this question in the attendee survey for Open Source Summit North America (June 2022) to compare results with a different sample. For the 140 attendees that completed the survey, writing code was still the top ranked task, followed by writing/reviewing documentation and then reviewing code.


Activities did not vary significantly between personal and professional time.

We asked our respondents to answer this question in two ways: tasks completed in your personal time or professional time. As seen in figure 1, there was little variability between responses in aggregate. Reviewing demographic subgroups and tracking individual responses between both questions suggested that individuals tend to take on the same tasks in both contexts.

Our study did not detect significant gender disparity in OSS tasks.

Note that this study did not attempt to estimate gender representation across open source communities.<sup>2</sup> Instead we tested if we could identify differences between tasks completed by self-identified genders<sup>3</sup>. Within this sample, women were slightly more likely to take on community management and event organization tasks.

Figure 1
What open source work do we choose?
What are we tasked with?



Alt text: We asked respondents to describe the nature of their open source contribution in personal and professional time: The top responses for both personal and professional time were: writing code, reviewing code and quality assurance and testing.

Figure 1: Base: International oss developers, contributors, and maintainers

<sup>&</sup>lt;sup>2</sup> For research that focuses on gender disparity in OSS see: Women's Participation in Open Source Software: A Survey of the Literature <a href="https://dl.acm.org/doi/10.1145/3510460">https://dl.acm.org/doi/10.1145/3510460</a>

<sup>&</sup>lt;sup>3</sup> Respondents self-identified as: Male, Female, Non-binary, Prefer to self describe as (other), or Prefer not to say



lt's challenging to separate 'paid' and 'volunteer' open source work.

In other research and analytical contexts (such as reviewing GitHub logs), we've struggled to accurately and aggregately separate 'paid' and 'volunteer' work within open source communities. We designed elements of this study to see if we could identify patterns that would inform this exercise. However, we discovered that our respondents did not express identifiable boundaries, choosing to perform similar tasks in work and personal time.

Why is this a problem?

This is a continual challenge within the research community, where there have been many efforts investigating these spaces separately—such as 'volunteers' and their propensity to stay engaged[1], or why and how companies participate in open source [2] [3]. Without a clean separation, this blended reality will continue to challenge our ability to isolate trends and observations at scale.

### Why did respondents participate in open source?

Within our study, we wanted to understand the respondents' motivations and incentives for open source participation. Within this sample:

The primary motivation for open source contribution was skill development, learning and enjoyment.

This finding aligns with a separate article focused entirely on contributor motivation [4]: even though the methodologies listed distinct response options, skill building was ranked first in both studies. Our survey also suggested that 'the importance of the project' and 'interest in the project' were stronger motivators to participate than social aspects like 'networking' or 'supporting the community'. (See figure 2) Respondents also indicated that they would continue to contribute to projects 'as long as they were still having fun'.

Payment (or lack of) was not a motivating factor to contribute.


In our study, lack of payment was not a leading reason to not contribute (figure 3), and in the article referenced above [4], paid contribution was ranked last in 'motivation to contribute'. However, some respondent subsegments placed more weight on payment—specifically maintainers who indicated they 'could do more if paid'.

Contributors prefer projects that have welcoming communities, clear onboarding paths, and a code of conduct.

We asked respondents what was most important to them when considering projects to contribute to in their free time, and on behalf of their employer. For contribution in personal time, respondents prioritized community attributes: a welcoming community, clear onboarding path and code of conduct. In professional time, license compatibility was ranked first, but then the top considerations were the same as considerations in their personal time.




Figure 2
Why did respondents contribute to open source projects?



Alt text: We asked respondents to pick the top two reasons why they contributed to an open source project: the top response for professionals and students was "skill development", while the top response for contributors was "networking and meeting other contributors" and maintainers claimed it was "the importance of the project".

Figure 3
How do contributors select projects?



Alt text: We asked respondents to share their most important criteria when selecting an open source project to contribute to in their personal time. the top responses were: welcoming community, clear onboarding path, and code of conduct.



### Why did respondents leave communities?

Over the last year or so, reports of burnout in relation to work<sup>4</sup> and open source<sup>5</sup> have only increased. We wanted to investigate the level of burnout within our sample, as well as test if burnout was a significant factor in departure from open source. First, we wanted to understand what discouraged developers from contributing, and what caused them to cease contribution:


### Contributors just don't have enough time.


Lack of time was cited as the leading reason 'not to contribute' as well as motivation to 'leave a community' (see figure 4). Other discouraging factors included community dynamics: too crowded, not inclusive, or conflict within the community. Maintainers also indicated that they stopped contributing to projects with legal or licensing issues, or if they disagreed with the technical direction of the project.

### Burnout is also encroaching:

In this respondent group, burnout was more prevalent in work vs open source contexts (see figure 5). As such, most respondents in this sample found open source work more restorative<sup>6</sup> than draining. However, maintainers were more likely than contributors to experience burnout in open source work.

Figure 4a
Why are developers not contributing to open source?





Alt text: When we asked respondents for their top reasons to not contribute to an open source project, all respondent groups said "it requires too much time commitment".

<sup>&</sup>lt;sup>4</sup> A study funded by Haystack analytics <a href="https://www.usehaystack.io/blog/83-of-developers-suffer-from-burnout-haystack-analytics-study-finds">https://www.usehaystack.io/blog/83-of-developers-suffer-from-burnout-haystack-analytics-study-finds</a>


<sup>&</sup>lt;sup>5</sup> https://betterprogramming.pub/why-open-source-developers-are-burning-out-1a860854884c

 $<sup>^{6}</sup>$  For details on this question see  $\,\underline{\text{https://chaoss.community/kb/metric-project-burnout/}}$ 



Figure 4b


Why are developers leaving open source projects?



Alt text: When we asked respondents for their top reasons they stopped contributed to open source project, most respondent groups said "lack of time" while maintainers shared that "there were licensing or legal problems".

Figure 5

Have respondents experienced burnout in open source work?



Alt text: We asked respondents to share if they had experienced burnout at work or in open source: 43% of open source contributors had experienced burnout in their work, while only 21% of open source contributors felt burnout while working on open source projects.


While maintainers were most likely to have experienced burnout in open source work, within our entire sample burnout was not the leading cause of reduced participation in open source. However, given a concerning number of anecdotal reports of burnout, we wanted to gather and validate ideas on proactive measures to reduce burnout in open source work:



#### Task variety, delegation, and onboarding new maintainers may help to reduce burnout in open source:

Responses did not show a clear consensus for how best to address burnout (See figure 6). Contributors indicated that the nature of the project contributed to this feeling, suggesting that 'working on projects that have more impact' would reduce burnout. They also suggested the 'ability to take on a variety of work' and 'delegate tasks as needed'. Maintainers didn't want to be perpetually accountable—suggesting 'onramp more maintainers', and 'offer leadership rotations or terms'. We showed the same question in a 2023 event survey and the top response was 'increase recognition of contribution'. This variance suggests that while systematic approaches can be taken to reduce burnout, there is no one-size-fits-all approach.

Figure 6
What tactics can help reduce burnout?



Alt text: We asked respondents to share what could be done to mitigate burnout. The top response for contributors were "increased variety in project cases", while maintainers said "leadership rotation for open source projects"

### How can we apply these results to our communities?

People are the most valuable resource within open source projects and communities. With this effort and in future research, we hope to continue to grow our collective knowledge of open source participants and how to promote healthy and sustainable communities.



#### Value your time together and apart:

As lack of time is what drives people away from open source contribution, how can community leaders ensure that they are making the most of the time they have together? What topics are better served in real time meetings, and what work can be completed asynchronously? Some projects have planned breaks, no-meeting weeks, or official slowdowns during holidays or popular conference weeks. Participants should also feel empowered to take breaks, vacations, and personal time away from open source work



#### Invest in documentation:

This is one way to make individual knowledge accessible to the community. In addition to technical and procedural overviews, documentation can also be used to clarify roles, tasks, expectations, and a path to leadership. If any contributor can review documentation and learn how to complete a task, that should reduce the burden on any one individual who may currently own that task. Providing milestones for maintainer and leadership roles can also help to encourage more participation from individuals by providing concrete goals.<sup>7</sup>

#### Communicate with care:

Communication is the primary way for community leaders to promote welcoming and inclusive communities and set norms around language and behavior (as documented in a Code of Conduct). Communication is also how we build relationships, trust, and respect for each other. Additionally, research efforts have shown that communication levels are "more determinant of success and onboarding than coding activities" [5].

#### Create spaces for anonymous feedback:

Feedback is a valuable tool for any project to adjust to the evolving needs of the contributor and user communities. When designed appropriately, surveys<sup>8</sup> can serve as safe, anonymous, retaliation-free spaces for individuals to provide honest feedback. For small samples, you may have to limit demographic questions that can inadvertently identify individuals and ALWAYS include a 'prefer not to answer'. This burnout metric<sup>9</sup> designed by the CHAOSS community can be added to surveys to gauge how your community is feeling about their open source work.

### Questions sparked by this research

At the conclusion of this research effort, we were left with more questions that we hope to pursue within our team as well as through partnerships with the broader research community:

### Can we get more clarity on 'open source work'?

With more granularity and nuance around roles and tasks, can we correlate specific activities to behavior, motivation, sentiments, and burnout? While our study focused on code-centric contributors and maintainers, there are many other roles and non-code contribution types<sup>10</sup>. In addition, our study did not venture into the context of any given task: for example, what kinds of code work do contributors engage in? Those working on novel features may have a different experience than those addressing bugs and maintaining existing code.

### How are emerging funding structures impacting participant behavior and motivation?

While this and other studies have indicated payment is not a motivating factor to contribute, recent work indicates that payment can encourage maintainers to pick up more tasks and stick around longer [6]. With additional funding structures available, how will this change open source work distribution, motivation, and durability?

# Can we get more clarity on who would benefit from specific tactics to reduce burnout in open source?

Our study focused on contributors and maintainers, but also indicated that the experience of burnout can be highly personal and context-specific. Can we broaden and improve our methods of investigation to get more clarity on how best to support open source participants in danger of burning out?

<sup>&</sup>lt;sup>7</sup> For tips on how to grow your contributor base see <a href="https://www.youtube.com/watch?v=rOsrfxjhev0">https://www.youtube.com/watch?v=rOsrfxjhev0</a>

<sup>&</sup>lt;sup>8</sup> For tips on survey best practices see https://www.youtube.com/watch?v= ToDcKzeXBc

<sup>&</sup>lt;sup>9</sup> https://chaoss.community/kb/metric-project-burnout/

 $<sup>^{10}</sup>$  The ACROSS project is working to Attribute Contributor Roles in Open Source Software, see who does the .dev



#### References:

[1] Brudney, J. L., & Meijs, L. C. (2013, May). Our common commons: Policies for sustaining volunteer energy. In Nonprofit Policy Forum (Vol. 4, No. 1, pp. 29-45). De Gruyter. <a href="https://www.degruyter.com/document/doi/10.1515/">https://www.degruyter.com/document/doi/10.1515/</a> npf-2012-0004/html

[2] M. Guizani, A. A. Castro-Guzman, A. Sharma, I. Steimacher: Rules of Engagement: Why and How Companies Participate in OSS, submitted to ICSE 2023 https://arxiv.org/pdf/2303.08266.pdf

[3] Why Do Enterprises Use and Contribute to Open Source Software, June 2022, Linux Foundation Research <a href="https://www.linuxfoundation.org/blog/blog/why-do-enterprises-use-and-contribute-to-open-source-software">https://www.linuxfoundation.org/blog/blog/why-do-enterprises-use-and-contribute-to-open-source-software</a>

[4] M. Gerosa, I. Wiese, B. Trinkenreich, G. Link, G. Robles, C. Treude, I. Steinmacher, and A. Sarma, "The Shifting Sands of Motivation: Revisiting What Drives Contributors in Open Source" in 43rd International Conference on Software Engineering (ICSE), May 2021, pp. 1046–1058. https://arxiv.org/pdf/2101.10291.pdf

[5] L. Yin, Z. Chen, Q.i Xuan, V.r Filkov: Sustainability Forecasting for Apache Incubator Projects, ESEC/FSE 2021 arxiv.org/abs/2105.14252

[6] The 2023 Tidelift State of the Open Source Maintainer Report

<a href="https://explore.tidelift.com/050423?utm\_medium=email&utm\_content=256860118&utm\_source=hs\_email#page=1">https://explore.tidelift.com/050423?utm\_medium=email&utm\_content=256860118&utm\_source=hs\_email#page=1</a>